

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1934	rou t\$3 same overlay and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:03
L2	38	rou t\$3 same overlay and (spanning near2 tree) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:05
L3	31	rou t\$3 same overlay and (spanning near2 tree) and bandwidth and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:06
L4	23	rou t\$3 same overlay and (spanning near2 tree) and bandwidth and (remov\$3 or disconnect\$3 or iasolat\$3 or unab\$3) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:13
L5	29	rou t\$3 same overlay and (spanning near2 tree) and bandwidth and (remov\$3 or disconnect\$3 or iasolat\$3 or unab\$3 or reduc\$3) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:18
L6	6	rou t\$3 same overlay and (spanning near2 tree) and bandwidth same (remov\$3 or disconnect\$3 or iasolat\$3 or unab\$3 or reduc\$3) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:18
L7	33	rou t\$3 same overlay and (spanning near2 tree) and ("370"/\$.cls. or "709"/\$.cls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:20

L8	3	rou\$3 same overlay and (spanning near2 tree) same bandwidth and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:21
L9	84	rou\$3 same overlay same bandwidth and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:21
L10	16	rou\$3 same overlay same bandwidth same (remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:23
L11	0	overlay same (bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 edge)) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:29
L12	0	overlay same (bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 (router or node))) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:30
L13	0	overlay same (bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 (router or node or device))) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:30
L14	363	((bandwidth with ((remov\$3 or disconnect\$3 or iasolat\$3 or unabl\$3 or reduc\$3) near5 (router or node or device))) and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:31

L15	24	((bandwidth with ((remov\$3 or disconnect\$3 or isolat\$3 or unabl\$3 or reduc\$3) near5 (router or node or device))) and overlay and ("370"/\$.ccls. or "709"/\$.ccls.) and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2009/03/27 15:31
S13	1	(((((maximum adj2 throughput) with (reduc\$3 adj2 distribut\$3 adj2 tree)) same ((target near2 bandwidth) same ((root or source) adj2 node) same (remov\$3 adj2 link)) same (overlay adj1 spanning adj1 tree))) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:16
S14	1	((maximum adj2 throughput) same ((target near2 bandwidth) same ((root or source) adj2 node) same (remov\$3 adj2 link)) and (overlay adj1 spanning adj1 tree)) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:19
S15	1	((maximum adj2 throughput) same bandwidth same ((root or source) adj2 node) same (remov\$3 adj2 link) and (overlay adj1 spanning adj1 tree)) and ("370"/\$.ccls. or "709"/\$.ccls.)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:25
S22	1	((maximum adj2 throughput) same bandwidth same ((root or source) adj2 node) same (remov\$3 adj2 link) and (overlay adj1 spanning adj1 tree))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:25
S23	1	((maximum adj2 throughput) and bandwidth same ((root or source) adj2 node) same (remov\$3 adj2 link) and (overlay adj1 spanning adj1 tree))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 09:25

S26	5	((overlay adj1 spanning adj1 tree)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:52
S27	2	S26 and bandwidth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 10:59
S31	17	((overlay adj1 rout\$3) or (spanning adj1 tree)) same ((greater or less) near2 bandwidth)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:07
S32	13	S31 and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:07
S34	2	S32 and graph	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/10/27 11:52
S35	0	decreas\$5 near3 target bandwidth @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:50
S36	0	decreas\$5 near3 bandwidth @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:51
S37	0	increas\$5 near3 bandwidth @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:52

S38	1	decreas\$5 near3 target bandwidth and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:53
S39	405	spanning tree with root and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 18:55
S40	0	spanning tree with root and remov\$5 near6 link with higher rate and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 19:06
S41	51	spanning tree with root and remov\$5 near6 link and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 19:06
S42	1	spanning tree with root and remov\$5 near6 link and decreas\$5 with bandwidth and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/11 19:08
S43	2	overlay spanning tree and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:31
S44	0	overlay spanning tree and decreas\$5 with bandwidth and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:33
S45	6233	increas\$5 with bandwidth and decreas\$5 with bandwidth and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:34

S46	0	increas\$5 with bandwidth and decreas\$5 with bandwidth and (construct \$5 or build\$5) nea12 spanning tree with root and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:38
S47	6	increas\$5 with bandwidth and decreas\$5 with bandwidth and spanning tree with root and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:38
S48	0	increas\$5 with bandwidth and decreas\$5 with bandwidth and spanning tree with root and target bandwidth and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:39
S49	6	increas\$5 with bandwidth and decreas\$5 with bandwidth and spanning tree with root and bandwidth and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/12 09:39
S50	2	"2003008696".did.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/05/12 10:50
S51	0	bandwidth same threshold same sapnning tree and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:23
S52	0	bandwidth and threshold same sapnning tree and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:23
S53	20	bandwidth same threshold same spanning tree and @ad< "20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:23

S54	0	bandwidth and threshold and spanning tree and node with highest near9 bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:32
S55	78	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:33
S56	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with high\$5 bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:34
S57	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:35
S58	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) near9 bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:35
S59	0	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) near9 bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:35
S60	1	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node with (high\$5 or maxium or greater) with bandwidth and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:36
S61	78	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) with node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:37

S62	27	bandwidth and threshold and spanning tree and (join\$5 or attach\$5) node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 16:39
S63	0	target bandwidth and threshold and spanning tree and (join\$5 or attach\$5) node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 17:14
S64	0	target bandwidth and spanning tree and (join\$5 or attach\$5) node and @ad<"20031125"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/16 17:15

3/27/2009 5:47:00 PM

C:\Documents and Settings\sbokhari\My Documents\EAST\Workspaces\10721399.wsp